

DMR Copy of Record

Permit

Permit #:

MAR053712

Major:

No

Permittee:

ReEnergy Holdings

Permittee Address:

101 Gerard Street
Roxbury, MA 02119

Facility:

REENERGY ROXBURY, INC.

Facility Location:

101 GERARD STREET
ROXBURY, MA 02119

Permitted Feature:

001
External Outfall

Discharge:

001-LK
Lead: Water Hardness 250+ mg/l

Report Dates & Status

Monitoring Period:

From 01/01/19 to 03/31/19

DMR Due Date:

05/31/19

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge during Q1 2019 due to frozen snow and ice.

Attachments

No attachments.

Report Last Saved By

ReEnergy Holdings

User:

FBRUNEAU

Name:

Frederic Bruneau

E-Mail:

fbruneau@reenergyholdings.com

Date/Time:

2019-05-31 12:30 (Time Zone: -04:00)

Report Last Signed By

User:

FBRUNEAU

Name:

Frederic Bruneau

E-Mail:

fbruneau@reenergyholdings.com

Date/Time:

2019-05-31 12:31 (Time Zone: -04:00)